


**SYMBOL LEGEND**

-  AIR VENT: 20" x 10"
-  AIR VENT: 17" x 17"
-  AUDIO SPEAKER: 13" DIAMETER
-  RECESSED LIGHT FIXTURE: 7-1/2" DIAMETER
-  FIRE SPRINKLER HEAD: 2-3/4" DIAMETER
-  COVER PLATE: 5" DIAMETER
-  CEILING FAN
-  COLUMN
-  SMALL ACOUSTICAL PANEL  
1" THICKNESS; 12" x 19"
-  LARGE ACOUSTICAL PANEL  
2" THICKNESS; 24" x 38"

**NOTES**

- (1) RAISED CEILING AREA, 8" RISE
- (2) BEAM CLOSE UNDER CEILING
- (3) 8" OPENING BETWEEN RAISED CEILING AND TOP OF BEAM



**REFLECTED CEILING PLAN**

SCALE: 1/2" = 1'-0"

ACOUSTICAL PANEL SCHEDULE		
TYPE	SIZE	QUANTITY
SMALL	19" x 12" x 1"	34 + 2 SPARES
LARGE	38" x 24" x 2"	19 + 2 SPARES

**ACOUSTICAL PANEL SPECIFICATIONS**

FABRIC-WRAPPED FIBERGLASS PANELS.  
 CLASS "A" MATERIALS.  
 RESIN-HARDENED EDGES OR CONCEALED EDGE MOLDING, WITH SQUARE PROFILE.  
 FULLY CONCEALED MOUNTING SYSTEM.  
 FABRIC: GUILFORD FR701 #748 "BONE" COLOR.  
 WALL TECHNOLOGY SERIES A100; OR APPROVED ALTERNATE.  
 PROVIDE TWO SPARE PANELS OF EACH SIZE, W/ PROTECTIVE WRAP.  
 SPARES SHALL INCLUDE ALL REQUIRED MOUNTING HARDWARE.  
 MOUNTING HARDWARE SHALL BE CONFIGURED IDENTICALLY ON ALL PANELS OF THE SAME SIZE.

**SUBMITTALS AND INSTALLATION REQUIREMENTS**

SUBMIT PRODUCT DATA AND DETAILS OF MOUNTING METHOD.  
 SUBMIT FABRIC SAMPLE FOR OWNER APPROVAL.  
 MOUNTING SHALL BE Z-CLIPS, ROTOFAST ANCHORS, OR AS RECOMMENDED BY INSTALLER, BUT SHALL ALLOW OWNER TO REMOVE AND RE-MOUNT PANELS IF NECESSARY.  
 ADHESIVE MOUNTING NOT ACCEPTABLE.  
 VERIFY CEILING DIMENSIONS INCLUDING LOCATION OF EXISTING DEVICES.  
 COORDINATE WITH OWNER FOR INSTALLATION REQUIREMENTS.  
 WEEKEND INSTALLATION REQUIRED. OWNER WILL MOVE TABLES.  
 LEAVE SITE BROOM CLEAN. OWNER WILL DO FINAL CLEANING.

**TABLE MOUNTAIN INN RESTAURANT**  
**GOLDEN, COLORADO**  
**ACOUSTICAL PANEL SYSTEM**  
**MAIN DINING ROOM**

**Borzym Acoustics**  
 Consulting and Engineering

2221 Columbine Avenue  
 Boulder, Colorado  
 303-541-0020

6 OCTOBER 2005  
 BID SET

**REFLECTED  
 CEILING PLAN**

**A.1**

SHEET 1 OF 1